



Braga 88°30'


COD.	D/D ₁	DN/DN ₁	S/S ₁	L	L ₁	L ₂ /L ₃	K ₁	K ₂	K ₃	kg				HxLxP 	CL	€/pz
VS0312001	32	30	3	85	50	35	25	10	10	0,028	80	640	3840	1060x800x1200	PE02	4,58
VS0312003	40	40	3	130	75	55	45	20	20	0,057	50	400	2000	1180x800x1200	PE02	4,88
VS0312005	50	50	3	150	90	60	55	25	25	0,081	30	240	1200	1180x800x1200	PE02	5,36
VS0312006	56	56	3	175	105	70	65	30	30	0,109	25	200	600	1015x800x1200	PE02	6,47
VS0312007	63	60	3	175	105	70	60	25	25	0,124	20	160	800	1180x800x1200	PE02	6,95
VS0312009	75	70	3	175	105	70	55	25	25	0,146	15	120	600	1180x800x1200	PE02	8,32
VS0312011	90	90	3,5	200	120	80	65	25	25	0,132	20	80	320	1050x800x1200	PE02	10,83
VS0312013	110	100	4,3	225	135	90	65	20	20	0,361	15	60	240	1210x800x1200	PE02	13,57
VS0312015	125	125	4,9	250	150	100	70	20	20	0,502	15	60	120	950x800x1200	PE02	15,16
VS0312017	160	150	6,2	350	210	140	105	30	30	1,175	1	-	50	930x800x1200	PE02	62,12
VS0312019 *	200	200	6,2	360	180	180	25	30	25	1,631	1	-	25	930x800x1200	PE02	110,24
VS0312021 *	250	250	7,8	440	220	220	40	40	40	3,064	1	-	15	930x800x1200	PE02	158,33
VS0312023 *	315	300	9,8	560	280	280	70	65	70	6,198	1	-	5	930x800x1200	PE02	205,29

* Derivazione saldata.

Braga curvata 88°30'


COD.	D/D ₁	DN/DN ₁	S/S ₁	L	L ₁	L ₂	L ₃	K ₁	K ₂	K ₃	kg				HxLxP 	CL	€/pz
VS0312025	110/110	100/100	4,3	230	140	120	90	90	40	20	0,420	15	60	120	950x800x1200	PE02	19,84